


RENTAL SYSTEMS, INC.

WWW.DANELLA.COM/RENTALS

DAMELLA®



Numerous Yards and Facilities throughout North America

HEADQUARTERS Philadelphia, PA

610.828.6200 800.969.6200 610.397.1199 FAX WESTERN OFFICE
Denver, CO

303.371.7799 800.713.2677 303.371.7798 FAX

A MESSAGE FROM THE CHAIRMAN

What does it mean when Danella Rental Systems, Inc. promises to take "Pride in Everything We Do®"?

 It means that our truck and construction equipment customers get more than a vehicle or a piece of equipment when they rent from us. We promise to provide a customer-focused and customer-specific experience to our valued customers in rail, utility, and construction industries.



- It means that we go out of our way to accommodate our customers' needs and strive constantly to make our business work for you. Rental flexibility is key to our business—not just a marketing touchstone. If you wish to rent short-term, long-term, or choose a rental-purchase arrangement, we promise to work with you to develop a solution that meets your specific equipment needs.
- It means that safety is our number one priority, whether it involves our employees or yours. We promise to provide high quality equipment that's backed by timely, experienced, and expert service, highlighting our commitment to keep safety at the forefront of your business and ours.

In short, "Pride in Everything We Do®" means that our focus is always on what's best for our customers—a promise that we've both pledged and kept for the past four decades.

Since 1986, Danella Rental Systems, Inc. has grown into a premier equipment supplier for utility, rail, and construction industries, providing vehicles, trucks, construction equipment, and hi-rail units across the continental United States and Alaska. This catalog represents the broad range of vehicles and equipment that we provide to our customers—utility trucks, dump trucks, bucket trucks, flatbeds, passenger vehicles, specialty equipment trucks, trailers, and so much more. If you do not see the vehicle or piece of equipment that you are looking for within these pages, please call our offices. Our dynamic Danella Rental Systems team will work with you to meet your unique requirements and help you secure the equipment that you need.

To our returning customers, thank you for reviewing our newest catalog. If you are new to Danella Rental Systems, welcome. We look forward to working with you.

James D. Danella CEO / Chairman Danella Companies, Inc.

James Salaneth




TABLE OF CONTENTS



28 Dump Trucks

50 Flatbeds, Grapplers, and Cranes

44 Welding Trucks 18
Passenger
Vehicles /
Buses

34 Bucket, Auger, & Platform Trucks

62
Specialty
Equipment /
Trucks

72
Trailers





1/4 TON PICKUP TRUCK







- » Chevy Colorado or Equivalent
- » Standard Cab
- » Gas Engine

- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps
- » Power Windows
- » Power Door Locks

F	0	Ш	IP	M	F	NI'	Т	D	Δ	K	Δ	G	F	5
	S.	U		11	_	IN			$\overline{}$		\frown	U	_	J

- ☐ Back Up Alarm ☐ Fire Extinguisher ☐ Triangle Reflector Kit
- **EQUIPMENT OPTIONS**
- \square Crew Cab \square 6' Bed \square Cap / Bed Cover \square Extended Cab \square Spray in Liner \square Back Up Camera
- ☐ Extended Cab ☐ Spray in Liner ☐ Back Up ☐ 4 Wheel Drive ☐ Crossbox Toolbox



1/2 TON PICKUP TRUCK







- » Chevy Silverado 1500 or » Automatic Transmission » Cruise Control Equivalent
- » Standard Cab
- » Gas Engine

- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps
- » Power Door Locks
- » Power Windows

EQUIPMENT PACKAGES

- ☐ Back Up Alarm ☐ Fire Extinguisher
- ☐ Back Up Camera ☐ Triangle Reflector Kit

- ☐ Double Cab □ 8' Bed
- ☐ Crew Cab ☐ Crossbox Toolbox
- ☐ 4 Wheel Drive ☐ Side Toolbox
- □ 6.5' Bed ☐ Spray in Liner
- ☐ Cap / Bed Cover
- ☐ Power Inverter



3/4 TON PICKUP TRUCK







- » Chevy Silverado 2500 or Equivalent
- » Standard Cab
- » Gas Engine

- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps
- » Cruise Control
- » Power Door Locks
- » Power Windows
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Back Up Alarm
- ☐ Back Up Camera
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit
- ☐ Strobe Light

- ☐ Light Duty Rail Gear
 - » Electric / Hydraulic Rail Gear
 - » Front and Rear Rail Gear Unit with Suspension
 - » 10" wheels (steel only)
 - » Built in Derail Skids
 - » Front and Rear Rail Sweeps
 - » 12 VDC Power Pack with Electric Toggle Switch Controls
 - » Emergency Hydraulic Hand Pump

- ☐ Shunts
- ☐ Railroad Light Package
- ☐ Steering Wheel Lock
- □ Double Cab
- ☐ Crew Cab
- ☐ 4 Wheel Drive ☐ Running Boards
- ☐ 6.5' Bed
- ☐ 8' Bed
- ☐ Cap / Bed Cover
- ☐ Crossbox Toolbox
- ☐ Side Toolbox
- ☐ Spray in Liner
- ☐ Snow Plow
- ☐ Salt Spreader

- ☐ Ladder Rack
- ☐ Tow Package
- □ Power Inverter
- ☐ Four Corner Strobes



3/4 TON UTILITY TRUCK







- » Chevy Silverado 2500 or Equivalent
- » Standard Cab
- » Gas Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps
- » Cruise Control
- » Power Door Locks
- » Power Windows
- » Front Recovery Hooks
- » 8' Utility Bed/Body

EQUIPMENT PACKAGES

- ☐ Utility Body
 - » Heavy-Duty Compartment Doors
 - » Nitrogen Strut Door Holders
 - » Stainless Steel Rotary Locks
 - » Slam Action Tailgate
 - » LED Lights
 - » Pooched, Frame Mounted Bumper
 - » Galvanized Shelves

- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Back Up Camera
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Light Duty Rail Gear
 - » Electric / Hydraulic Rail Gear
 - » Front and Rear Rail Gear Unit with Suspension
 - » 10" wheels (steel only)
 - » Built in Derail Skids
 - » Front and Rear Rail Sweeps
 - » 12 VDC Power Pack with Electric Toggle Switch Controls
 - » Emergency Hydraulic Hand Pump

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Steering Wheel Lock
- ☐ Double Cab
- ☐ Crew Cab
- ☐ 4 Wheel Drive☐ Running Boards
- ☐ Spray in Liner
- ☐ Locking, Sliding Top
- ☐ Master Lock
- ☐ Ladder Rack
- ☐ Slide-out Bed

- ☐ Four Corner Strobes
- ☐ Towing Package
- □ Power Inverter



MECHANIC TRUCK







- » Standard Cab
- » 19,500 33,000 GVWR
- » Diesel Engine

- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio

- » Single Axle
- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- □ Body
 - » Service Body
 - » 9-14 ft Body Lengths
 - » Street Side and Curb Side Storage Compartments
 - » Gas Cylinder Storage Compartment with 50 ft Hose Reel
 - » Hand & Power Tool Storage
 - » Adjustable Shelving
 - » Compartment Drawers
 - » Work Bench with Storage Compartments

- ☐ Crane
 - » Hydraulic Crane with 4,000 - 14,000 lb capacity
 - » 15 to 30 ft Extension
 - » 400 Degree Rotation
 - » Hydraulic Outriggers with Stow Sensors
 - » Boom Stow Sensor
 - » Radio Remote
- ☐ Air Compressor
 - » Hydraulic Air Compressor
 - » 30 60 CFM
 - » 100 150 PSI
 - » Spring Rewind Hose Reel
 - » 50 ft of Hose

- ☐ Strobe Lights
- ☐ LED Lighting
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Double/Extended Cab
- ☐ Crew Cab
- □ 4 Wheel Drive□ Hitch Package
- ☐ Manual Transmission
- □ Welder 225 400
 - AMP Power Inverter



TRACK INSPECTION TRUCK







- » Ford F350, Chevy Silverado 3500, or Equivalent
- » V8 Gas Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lights

EQUIPMENT PACKAGES

- ☐ Light Duty Rail Gear
 - » Electric / Hydraulic Rail Gear
 - » Front and Rear Rail Gear Unit with Suspension
 - » 10" wheels (steel only)
 - » Built in Derail Skids
 - » Front and Rear Rail Sweeps
 - » 12 VDC Power Pack with Electric Toggle **Switch Controls**
 - » Emergency Hydraulic Hand Pump
 - » Steering Wheel Lock

- ☐ Track Inspection Body
 - » Shelving & Dividers in Side Compartments
 - » Toolboxes
 - » Street Side O/A Storage
 - » Track Tool Storage
 - » Rear Bumper Grip Strut
 - » Fold Up Rear Steps
 - » Reinforced Rear Suspension

- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose
- ☐ LED Lighting Package
- ☐ Backup Alarm
- ☐ Backup Camera
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Standard Cab
- □ Double Cab ☐ Crew Cab
- ☐ 4 Wheel Drive
- ☐ Running Boards
- □ Power Windows
- ☐ Railroad Light Package
- ☐ Shunts

- ☐ Aluminum Body
- □ Towing Package
- □ Power Inverter
- ☐ Fire Suppression



HI-TOP UTILITY TRUCK







- » RAM 4500 or Equivalent
- » Standard Cab
- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning

- » AM/FM Radio
- » Daytime Running Lamps
- » Cruise Control
- » Power Door Locks
- » Power Windows

- » Front Recovery Hooks
- » Engine Block Heater
- » Trailer Brake Control

EQUIPMENT PACKAGES

- ☐ Custom Utility Body
 - » Heavy-Duty
 - Compartment Doors
 - » Nitrogen Strut Door Holders
 - » Stainless Steel Latches
 - » LED Lights
 - » Pooched, Frame Mounted Bumper
 - » Galvanized Shelves
 - » Roll-up Rear Door

- ☐ Strobe Lights
- □ Work Lights
- ☐ Class V Frame Mount
 - Receiver Hitch
- ☐ Back Up Alarm
- ☐ Back Up Camera
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Shunts
- ☐ Railroad Light Package
- ☐ Double Cab
- ☐ Crew Cab
- ☐ 4 Wheel Drive
- ☐ Running Boards
- □ Master Locking

- ☐ Ladder Rack
- ☐ Four Corner Strobes
- □ Power Inverter



SMALL/MID-SIZE SUV







- Toyota 4Runner, Ford » Automatic Transr Explorer, or Equivalent » Air Conditioning » Toyota 4Runner, Ford
- » All Wheel Drive
- » Gas Engine

- » Automatic Transmission
- » Cruise Control
 - » AM/FM Radio

- » Daytime Running Lamps
- » Power Windows
- » Power Door Locks

EQUIPMENT PACKAGES

□ Back Up Alarm	☐ Fire Extinguisher
□ Back Up Camera	☐ Triangle Reflector Kit

- ☐ Light Duty Rail Gear
 - Gear
 - » Front and Rear Rail Gear Unit with Suspension
 - » 10" wheels (steel only)
 - » Built in Derail Skids
 - » Front and Rear Rail Sweeps
 - » 12 VDC Power Pack with Electric Toggle **Switch Controls**
 - » Emergency Hydraulic Hand Pump
 - » Steering Wheel Lock

- ☐ Shunts
- - ☐ Running Boards
 - ☐ Strobe Lights



FULL-SIZE SUV







- or Equivalent
- » 4 Wheel Drive
- » Gas Engine

- » Air Conditioning » Air Conaitionin » Cruise Control

 - » AM/FM Radio
- » Chevy Tahoe, Suburban, » Automatic Transmission » Daytime Running Lamps
 - » Power Windows
 - » Power Door Locks

EQUIPMENT PACKAGES

- ☐ Back Up Alarm ☐ Back Up Camera
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Light Duty Rail Gear
 - Gear
 - » Front and Rear Rail Gear Unit with Suspension
 - » 10" wheels (steel only)
 - » Built in Derail Skids
 - » Front and Rear Rail Sweeps
 - » 12 VDC Power Pack with Electric Toggle **Switch Controls**
 - » Emergency Hydraulic Hand Pump
 - » Steering Wheel Lock

- ☐ Shunts
- ☐ Running Boards
- ☐ Strobe Lights



CARGO VAN







- » Chevy Express 2500/3500 or Equivalent » Cruise Control
- » Gas Engine
- » Air Conditioning
- » AM/FM Radio
- » Automatic Transmission » Daytime Running Lamps
- » Power Windows
 - » Power Door Locks

	IDM	IENI.	TP	CV	Λ.	CE	C
טצ	IPI		1 P <i>F</i>	ィしハ	\mathcal{H}^{V}	JE	3

- ☐ Back Up Alarm
- ☐ Fire Extinguisher
 - ☐ Triangle Reflector Kit

- ☐ Cargo Partition ☐ Shelving
- ☐ Ladder Rack
- ☐ Towing Package
- ☐ Crew Seating



PASSENGER VAN







- » Chevy Express 3500 or

 » Automatic Transmission

 » Daytime Running Lamps Equivalent
- » 15 Passenger Seating
- » Gas Engine

- » Air Conditioning
- » Cruise Control
 - » AM/FM Radio

- » Power Windows
- » Power Door Locks

EQUIPMENT PACK	KΑ	GES
----------------	----	-----

- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

EQUIPMENT OPTIONS

☐ 8 - 12 Passenger Seating ☐ Towing Package



BUS







- » Diesel Engine
- » 200 HP Min » Single Axle
- » Automatic Transmission » Air Conditioning (Front and Rear)


EQUIPMENT PACKAGES

- ☐ 40 Passenger Seating
- ☐ Full Height 78" Headroom
- ☐ Automatic Entrance Door
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Rear Tool Area
- ☐ Cargo Partition



2-6 CUBIC YARD DUMP **TRUCK**







- » Single Axle
- » 10,000 33,000 GVWR
- » Gas or Diesel Engine
- » Manual Transmission
- » Air Conditioning
- » AM/FM Radio

- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Dump Body
- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Running Boards
- ☐ Manual or Electric Tarp
- ☐ Strobe Light(s)
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Medium/Heavy Duty Rail Gear
 - » DMF RW1420 Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves
 - » Manual Lock Pins

- ☐ Shunts
- ☐ Railroad Light Package
- ☐ Double Cab
- ☐ Crew Cab
- ☐ 4 Wheel Drive
- ☐ Underbody Toolboxes
- ☐ Four Corner Strobes
- ☐ Tow Package

- ☐ Automatic Transmission
- □ Power Windows
- ☐ Power Door Locks
- ☐ Cruise Control
- ☐ Backup Camera
- ☐ Snow Plow



10-16 CUBIC YARD DUMP **TRUCK**







- » Tandem Axle
- » 56,000 80,000 GVWR
- » Diesel Engine

- » Manual Transmission
- » Air Conditioning
- » AM/FM Radio

- » Daytime Running Lamps
- » Power Door Locks
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Dump Body
- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit
- ☐ Manual or Electric Tarp

- □ Power Windows
- ☐ Underbody Toolboxes
- ☐ Four Corner Strobes
- ☐ Automatic Transmission
- ☐ Lift Axle
- ☐ Vibrator



HI-RAIL ROTARY DUMP **TRUCK**







- » Tandem Axle
- » 56,000 66,000 GVWR
- » Diesel Engine
- » Manual Transmission
- » Engine Brake
- » Engine Block Heater
- » Air Brakes
- » Air Conditioning

» AM/FM Radio

EQUIPMENT PACKAGES

- ☐ Rotary Dump Package
 - » 10-12 Cubic Yard
 - » Electric Roll-up Tarp
 - » In Cab Controls
 - » DMF Roto 180 Degree Rotating Turntable
 - » Manually Folding Rear Spreader Apron and Chains
 - » Manual Rail Dogs
 - » Side Access Ladder
 - » Dump Body Subframe w/ Telescopic Hoist
 - » (2) Manual Raildogs

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Cab Shield and Rear Mount Strobe Lights
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit
- ☐ Conspicuity Striping
- ☐ Grip Strut Under Cab Steps
- ☐ Grab Handles for Cab
- ☐ Remote Battery Jump Terminal
- ☐ Rear Mud Flaps

- ☐ Insulated Rail Gear
- ☐ Shunts
- ☐ Railroad Light Package
- ☐ Hydraulic Raildogs
- ☐ Hydraulic Spreader Apron
- ☐ Material Handler with Grapple and Clam Bucket
- ☐ Magnet Package
- ☐ Automatic Transmission



37'-41' BUCKET TRUCK 19,500 GVWR







- » Ford F550 or Equivalent
- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps

» Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Aerial Bucket 37-41' Working Height
 - » Telescopic/Articulating
 - » Single Man Bucket -400# Capacity
 - » Insulated Boom
 - » Vertical Outriggers

- ☐ Utility Body
- ☐ Running Boards
- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Crew Cab
- ☐ 4 Wheel Drive
- ☐ Tow Package
- □ Power Windows
- ☐ Power Locks



55' BUCKET TRUCK 33,000 GVWR







» Diesel Engine

- » Air Conditioning
- » Automatic Transmission
- » AM/FM Radio

- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Aerial Bucket 55' Working Height
 - » Articulating
 - » Two Man Bucket -700# Capacity
 - » Hydraulic Tool Circuits
 - » Continuous Rotation
 - » Outriggers

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Line Body
- ☐ Insulated Boom
- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Material Handler



41'-45' BUCKET TRUCK 56,000 GVWR







» Diesel Engine

- » Air Conditioning
- » Automatic Transmission
- » AM/FM Radio

- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Bucket 41' 45' Working Height
 - » Telescopic
 - » Single Man Bucket -350# Capacity
 - » Material Handler
- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
 - » Torsion Box, with Counter Weight in Place of Outriggers

- ☐ Utility Body
- ☐ Strobe Light
- ☐ Back Up Alarm ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Railroad Light Package
- ☐ Shunts



PLATFORM TRUCK







- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio

- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Aerial Lift 30'-35'
 - » Extended Cab Steps
 - » Tower Insulated tested and certified to 5KV
 - » Standard Platform 144" x 48"
 - » Engine Start/Stop Switch
 - » Emergency Power
 - » 2 Speed Engine Throttle
 - » DC Power

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Utility Body
 - » Rear Cable Steps
 - » Welding Gas Compartment
 - » Strobe Light Package
 - » Cab Guard

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Railroad Light Package
- ☐ Shunts



DIGGER DERRICK







- » Single/Tandem Axle
- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps

» Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Digger Derrick
 - » Altec
 - » 5-Function Hydraulic Overload Protection System (HOP)
 - » Hydraulic Side Load Protection
 - » Hydraulically Extending Full Capacity Fiberglass Upper Boom
 - » Fiberglass Boom Tip and Transferable Steel **Boom Flares**
 - » Insulating, ANSI Category C Rating
 - » 5,000 lb (6,803.9 kg) Capacity Turntable Winch with Rope/

- » Cable Guides
- » Hydraulic Tilting Pole Guides with Pole Guide Interlock
- Motion Alarms
- » Outrigger Boom Interlock System
- » Operator Main Control Panel with Multi-Lever Controls
- » Emergency Stop Switch on Main Control Panel(s)

Platform	Body	with
Boxes		

- ☐ Strobe Light ☐ Back Up Alarm
- ☐ Triangle Reflector Kit

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket
- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Single Man Basket
- ☐ Utility/Line Body



THERMITE WELDING TRUCK 19,500 GVWR







» Double Cab

» Automatic Transmission

» Diesel Engine

» 4 Wheel Drive

F	0		IDI	M	F	N-	ГΕ	Δ	K	Δ	G	F	5
_	CX.	\mathbf{C}		'						\neg	$\mathbf{\mathbf{\mathcal{U}}}$	_	u

- ☐ Aluminum Thermite Welding Enclosed Body
 - » Oxygen Propane Compartment with 50' Hose Reel
 - » Gas Shocks on All Vertical Compartment Doors
 - » Storage for 25 thermite charge and 25 crucible welding boxes

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose
- ☐ LED Lighting
- ☐ Running Boards
- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Standard Cab
- ☐ Crew Cab ☐ Railroad Light Package
- ☐ Shunts

- ☐ Hitch Package
- ☐ Fold Down Work Platform



THERMITE WELDING TRUCK 33,000 GVWR







» Standard Cab

» Manual Transmission

» Diesel Engine

» 12ga tread plate steel floor

IPMEN		\sim \sim
	LA	$\mathbf{C} = \mathbf{C}$

- ☐ Thermite Welding **Enclosed Body**
 - » Hand & Power Tool Storage and Adjustable Shelving
 - » Compartment Shelves Set Up and Labeled for Charge Boxes & Crucibles
 - » Tool and OTM Storage
 - » Oxy/Propane Cylinder Storage Compartment (Vented with Top Opening Lid) with 50' Hose Reel
 - » Track Tool Storage

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Jib Crane 1,000-2,000 lbs.
- ☐ LED Lighting
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

EQUIPMENT OPTIONS

- ☐ Crew Cab
- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Fire Suppression
- ☐ Liftgate

Hydraulic Tool Circuit

- » 10 gpm or 5 gpm
- » Spring rewind hose reel
- » 50 feet of twin bonded hose



ELECTRIC WELDING TRUCK







- » Standard Cab
- » Diesel Engine
- » Manual Transmission
- » 12ga tread plate steel floor
- » Formed integrated bulkhead with screen window

F	0		IDI	M	F	N-	ГΕ	Δ	K	Δ	G	F	5
_	CX.	\mathbf{C}		'						\neg	$\mathbf{\mathbf{\mathcal{U}}}$	_	u

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose

- ☐ Crane 3,000-5,000 lb capacity
 - » Remote Control
 - » Boom Stow Sensor
 - » Hydraulic Outrigger with Stow Sensor
- ☐ LED Lighting
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- □ Crew Cab□ Automatic Transmission□ Railroad Light Package
- ☐ Shunts

- ☐ Hitch Package
- ☐ Welder 225 400 AMP
- ☐ Air Pack
- ☐ Rail Puller Rack
- ☐ Single Rail Rack
- ☐ Fire Suppression



11-19,500 GVWR FLATBED







» Standard Cab » Diesel Engine

- » Automatic Transmission
- » AM/FM Radio

- » Single Axle
- » Air Conditioning

EQUIPMENT PACKAGES

☐ 8' - 12' Heavy Duty Wood/Steel Deck Flatbed

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Hydraulic Tool Circuit
- » 10 gpm or 5 gpm
 - » Spring rewind hose reel □ Toolboxes
- » 50 feet of twin bonded hose
- ☐ Crew Cab
- ☐ 4 Wheel Drive
- ☐ Stake Body Sides
- ☐ Contractor Sides
- ☐ Hitch Package
- ☐ Cranes
- ☐ Lift gate



20-33,000 GVWR FLATBED







» Standard Cab

- » Manual Transmission
- » Diesel Engine » AM/FM Radio

- » Single Axle
- » Air Conditioning

EQUIPMENT PACKAGES

☐ 14' - 24' Heavy Duty Wood/Steel Deck Flatbed

- Gear
 - » DMF RW1420 Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves
 - » Manual Lock Pins
- ☐ Railroad Light Package
- ☐ Shunts

- ☐ Medium/Heavy Duty Rail ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose
 - ☐ Crew Cab
 - ☐ Automatic Transmission
 - ☐ Lift gate
 - ☐ Stake Body Sides
 - □ Contractor Sides

- ☐ Hitch Package
- □ Toolboxes
 - » Underbody
 - » Above Deck
- □ Water Tanks



HI-RAIL MATERIAL **HANDLER**







- » Tandem Axle
- » 56,000 66,000 GVWR
- » Diesel Engine

- » Manual Transmission
- » Engine Brake
- » Engine Block Heater
- » Air Brakes
- » Air Conditioning
- » AM/FM Radio

EQUIPMENT PACKAGES

- □ Body
 - » 22'-25' Flat Bed Body
 - » Heavy Duty Steel Body
 - » Front and Rear Bulkheads
 - » Rail Racks
 - » Removable Vertical Side Post
 - » Removable Wood Side Planks
 - » Side Access Ladders
 - » Material Tie Down Winches and Straps
 - » In Floor Grapple and Magnet Storage
- □ Magnet
 - » 26" Magnet, 12/24 V **Battery Operated**
 - » Quick Disconnects
 - » On/Off Switch at **Joystick Controls**

- ☐ Crane
 - » Builtrite 1010/Prentice 2124
 - » Hydraulic Out/Down or A-Frame Outriggers
 - » Operator Station controls for Material Handler and Outriggers
 - » 380° Non-Continuous Rotation
 - » 25'8" Maximum Reach
 - » Side Access Ladders
 - » Crane Seat at Top of Crane Mast
 - » Crane Seat Belt
 - » Hose Functions to End of Boom
- ☐ Grapple
 - » Bypass Grapple
 - » Continuous Rotation

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket
- ☐ Strobe Lights
- ☐ Back-Up Camera
- ☐ Back-Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit
- ☐ Underbody Toolboxes

- ☐ Lift Axle
- ☐ Rear Rail Sweeps
- ☐ 32" Magnet

- ☐ Remote Drive System
- ☐ Butt-Type Grapple
- ☐ Train Coupler
- ☐ Railroad Light Package
- ☐ Shunts



TELESCOPIC CRANE TRUCK







- » Standard Cab
- » Tandem Axle
- » 56,000 66,000 GVWR
- » Diesel Engine

- » Manual Transmission
- » Engine Brake
- » Engine Block Heater
- » Air Brakes

- » Air Conditioning
- » AM/FM Radio

EQUIPMENT PACKAGES

- ☐ Crane
 - » 10-20 Ton Telescopic Crane
 - » 37' to 90' Max working Height (Depending on Model)
 - » 20,000-40,000 lb. Max Lifting Capacity
 - » Mid Mount and Rear Mount Available
 - » Dual Sided Controls
 - » Hydraulic Out/Down Outriggers

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
- □ Body
 - » Flatbed Body
 - » 14' 22' Body Lengths
 - » 2" Wood Flooring
 - » Contractor or Stake **Body Sides**

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket
- ☐ Strobe Lights
- ☐ Back-Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose
- ☐ Power Inverter
- ☐ Crew Cab
- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Insulated Rail Wheels
- ☐ Underbody Toolboxes
- ☐ Upright Cabinets
- ☐ Rail Racks
- ☐ Steel Floor Body
- ☐ Auto Transmission



KNUCKLE BOOM TRUCK







- » Standard Cab
- » Tandem Axle
- » 56.000 66.000 GVWR
- » Diesel Engine

- » Manual Transmission
- » Engine Brake
- » Engine Block Heater
- » Air Brakes

- » Air Conditioning
- » AM/FM Radio

EQUIPMENT PACKAGES

- ☐ Crane
 - » Hydraulic Crane with 70,000-300,000 ft/lbs. Max lifting Capacity.
 - » 30' to 68' Max Extension
 - » Mid Mount and Rear Mount Available
 - » Hydraulic Out/Down Outriggers
 - » Proportional Control with Radio Remote
- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- □ Body
 - » Flatbed Body
 - » 14' 22' Body Lengths
 - » 2" Wood Flooring
 - » Contractor or Stake **Body Sides**
 - » Under Body Tool Boxes
 - » Ladders for Bed Access
- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Strobe Lights
- ☐ Back-Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » Spring rewind hose reel
 - » 50 feet of twin bonded hose
- ☐ Power Inverter
- ☐ Crew Cab
- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Insulated Rail Wheels
- ☐ Lift Axle

- ☐ Job Box
- ☐ Underbody Toolboxes
- □ Upright Cabinets
- ☐ Rail Racks
- ☐ Steel Floor Body
- ☐ Auto Transmission



HI-RAIL SECTION TRUCK







- » Crew Cab
- » Tandem Axle
- » 56,000 66,000 GVWR
- » Diesel Engine

- » Manual Transmission
- » Engine Brake
- » Engine Block Heater
- » Air Brakes

- » Air Conditioning
- » AM/FM Radio

EQUIPMENT PACKAGES

- ☐ Crane
 - » Hydraulic Crane with 70,000 to 110,000 ft/ lbs. Lifting Capacity.
 - » 3-Section Hydraulic Boom Extension
 - » 30' to 40' Extension
 - » 420 Degree Rotation
 - » Hydraulic Out and Down Outriggers
 - » Proportional Control with Radio Remote
- ☐ Hydraulic Tool Circuit
 - » 10 gpm or 5 gpm
 - » 2 Spring rewind hose reels
 - » 50 feet of twin bonded hose

- □ Body
 - » 14' 16' Steel Body Lengths
 - » Rail Racks with Tie Downs
 - » StreetSide and Curbside Vertical compartments
 - » StreetSide and Curbside Underbody Compartments
 - » StreetSide and Curbside Walkup
 - » Gas Cylinder Storage Curbside with Removable Tote
 - » Removable Side Boards
 - » Long Bar Storage
 - » Pull Out Steps
 - » Storage Compartments in Rear Apron

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Strobe Lights
- ☐ Back-Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Hitch Package
 - » 25 Ton Pintle Hitch
 - » Electric Brake Control
 - » Air Glad Hands
 - » Trailer Socket

- ☐ Railroad Light Package
- ☐ Insulated Rail Wheels
- ☐ Shunts
- ☐ Power Inverter



WATER TRUCKS







- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio

- » Daytime Running Lamps
- » Front Recovery Hooks
- » Backup Alarm

EQUIPMENT PACKAGES

- ☐ 2,000-4,000 Gallon Tank ☐ Manual in cab valve
- ☐ Spray Function
 - » 2 Front Spray Heads
 - » 2 Rear Spray Heads
 - » 1 Side Spray Nozzle
- ☐ Hosereel Rear mounted hose reel with 50' - 11/4" Jet spray hose w/11/2" nozzle
- controls allows selection of front, rear, or side spray function
- ☐ Site Tube Water Level
- ☐ Toolbox

EQUIPMENT OPTIONS

- ☐ Medium/Heavy Duty Rail ☐ Remote Control Water Gear
 - » DMF RW1420 Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves
 - » Manual Lock Pins

Cannon



FUEL AND LUBE TRUCK







- » Ford F750 or Equivalent
- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps

» Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Fuel and Lube Body
 - » Elliott Fuel-Lube Service Unit
 - » 1 1,000 Gallon Diesel Tank
 - » 1 150 Gallon Waste Oil Tank
 - » 4 85 Gallon Oil Tank
 - » 1 120lb. Grease Drum
 - » Air Compressor
 - » Lubricant Dispensing System
 - » Used Oil System
 - » Grease Dispensing System
 - » Diesel Fuel System

- ☐ Strobe Lights
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

EQUIPMENT OPTIONS

☐ Manual Transmission



BRUSH CUTTER







- » Ford F-550 Chassis
- » Diesel Engine
- » Automatic Transmission
- » 4 Wheel Drive
- » Air Ride Suspension
- » Air Conditioning

» AM/FM Radio

EQUIPMENT PACKAGES

- ☐ Tiger Rail Kut Body and Mower
 - » Passenger Side Steering with Controls
 - » Diesel Engine to Run Mower and Hydraulics
 - » Cutter Reach Up 19'10"
 - » Cutter Reach Out 21'
 - » Cutter Reach Down 12'5"
 - » 50 Cutting Width
 - » Torque Wrench included with Rotary head
 - » Directional Light Bar with Alternating Flashing (Wig Wags)
 - » Overhead Right Side Viewing Window
 - » Operator Presence Switches on Right Side Door
 - » Brush Guard Extending Over Cab
 - » Operator Protective Screen Covers Right Hand Door

- ☐ Medium Duty Rail Gear
 - » Electric or Hydraulic Rail Gear
 - » Front Brakes and Rail Sweeps
 - » Built in Derail Skids
 - » Steering Wheel Lock
 - » Holding Valves Rear
 - » Manual Lock Pins
- ☐ Backup Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

EQUIPMENT OPTIONS

☐ Flail Blade Cutter

☐ Railroad Light Package

☐ Shunts



VACUUM TRUCK







- » Single Cab
- » Diesel Engine
- » Automatic Transmission
- » Air Conditioning
- » AM/FM Radio
- » Daytime Running Lamps
- » Front Recovery Hooks

EQUIPMENT PACKAGES

- ☐ Ramvac HX-6
 - » 6 Cubic Yard Debris Box
 - » 650 Gallon Water Capacity
 - » 3.000 cfm Vacuum System
 - » Temperature Controlled Environmental Chamber
 - » 13' to 18' Boom Reach
 - » 320 degree Working Radius
 - » 6" Suction Hose

- ☐ Ramvac HX-12
 - » 12 Cubic Yard Debris Box
 - » 1,300 Gallon Water Capacity
 - » 4,400 cfm Vacuum System
 - » Temperature Controlled Environmental Chamber
 - » 18' to 23' Boom Reach
 - » 320 degree Working Radius
 - » 8" Suction Hose

- ☐ Strobe Light
- ☐ Back Up Alarm
- ☐ Fire Extinguisher
- ☐ Triangle Reflector Kit

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Railroad Light Package
- ☐ Shunts



TRUCK TRACTOR







CHASSIS SPECIFICATIONS

- » Day Cab
- » Diesel Engine up to 450HP
- » Manual Transmission
- » Air Conditioning

- » AM/FM Radio
- » Air Ride Driver seat and Cab
- » Tilt & telescoping steering

\frown		וחו	м	N	т.	\Box	\	ער	/ A			٠
W	U	ואו		N	IT	PF	1 L	ıر	NA	J	ᆮᇰ	

☐ Strobe Light ☐ Fire Extinguisher □ Back Up Alarm ☐ Triangle Reflector Kit

- ☐ Lift Axle ☐ Four Corner Strobes ☐ Sleeper Cab
- ☐ Full Fenders ☐ Headache Rack ☐ Automatic Transmission
- ☐ Wet Line Kit ☐ Power Windows ☐ Toolboxes



EQUIPMENT TRAILERS







TRAILER SPECIFICATIONS

» Up to 25 Ton













LOWBOY TRAILERS







TRAILER SPECIFICATIONS

- » Up to 55 Ton
- » Air Ride Suspension

» 3 Axles

» Air Brakes with ABS

FOI	IIPM	IENT	$D\Delta$	CKA	GES
			Γ		ULJ

- ☐ Sealed modular wiring with LED lights
- ☐ Cross Members on 18" Centers
- ☐ 100,000 psi Minimum Yield T-1 Steel Mainframe
- ☐ 27' Slope Deck
- ☐ 27' flat Deck with Flush
 - Wheel covers
- ☐ 2" Normal Hardwood decking

- ☐ 50/102 Swing 4" Relief Gooseneck
- ☐ 6' long x 6.5" High Front Rail Car Ramps
- ☐ 36" long Wood Front Ramps

- ☐ Electric Winch ☐ Wet Line/Pony Motor Kit Embedded Rails
- ☐ Standard Gauge



OFFICE / STORAGE TRAILER







TRAILER SPECIFICATIONS

» 8 - 20' Trailer

- » Dropdown Rear Door
- » Curbside Entry Door
 » 7' Interior Height

EQUIPMENT PACKAGES

- ☐ Office Package
 - » Cabinets / Desk
 - » Windows
 - » Vinyl Sidewalls
 - » Vinyl Ceiling
 - » 13,500 BTU Roof Mounted Air Conditioner
 - » Electric Baseboard Heaters
 - » 50 Amp Service Panel
 - » Roof Vents
 - » Lights

EQUIPMENT OPTIONS

☐ Double Rear Doors



VACUUM TRAILER







TRAILER SPECIFICATIONS

- » 3 Yard Debris Tank
- » 600 Gallon High Pressure Water System
- » 200,000 BTU Boiler
- » 3,000 CFM Blower
- » Rotating Boom w/9' to 12' Reach
- » 320 Degree Working Radius
- » Tandem Axle Electric Brake Trailer

EQUIPMENT PACKAGES

- ☐ Tool Box
- ☐ 18" DOT Safety Cones and Holder
- ☐ Digging Wand Kit
- ☐ Wash Down Gun Kit



BACKHOE (4X4 EXTENDAHOE)







- » Case 580 Series or equivalent
- » Enclosed Cab with Roll Over Protection System (ROPS)
- » 4 Wheel Drive
- » Air Conditioning
- » Ride Control for Smoother Transport
- » Dual Batteries

» Over-center Backhoe Design (Locks Boom and Transfers Weight Towards the Front Axle)

EQUIPMENT PACKAGES

- □ 2 Buckets (8", 12", 18" or 24")
- ☐ Controls
 - » Case (Foot Swing / 4 Lever)
 - » John Deere (Wobble Stick / 2 Lever)
- ☐ 82" Front Loader Bucket with Cutting Edge
- ☐ Storage/ Toolbox in the Cab

- ☐ Telematics/GPS
- ☐ Extendahoe (Increased Digging Depth 21'- 25')
- ☐ 1,100 lb. Counter Weight
- ☐ Backhoe Quick Coupler for Digging Buckets
- ☐ Combination Flip Pads for Street or Dirt
- ☐ Deluxe Suspension Seat
- ☐ West Coast Mirrors
- ☐ Strobe Light

- ☐ Pilot Controls
- ☐ Hydraulic Thumb
- ☐ 4 in 1 Bucket
- ☐ Clamp on Forks
- ☐ Hydraulic Breaker (Hammer)
- ☐ Matweld Hydraulic Tool Circuit
 - » Capability to operate 1-10 GPM small tool or 2-5 GPM tools

- ☐ Foam Filled Front Tires
 - » Because of Ride Control the rear tires cannot be foam filled
- ☐ Rail Guide Wheels



DOZER





- » 14,600-17,550 lbs. Operating Weight
- » Diesel Engine 74-80.5 HP
- » Cab w/Heating and Air Conditioning
- » 90-120" Variable Pitch Blade



FRONT END LOADER







- » 28,714 40,435 lbs. Operating Weight
- » Diesel Engine
- » ROPS Cab w/Heating and » Bucket Capacity 3.5-4.5 Air Conditioning
 - cu. yard















GRADALL







- » Gradall XL4100 or Equivalent
- » Cummins 6BT5.9 Diesel Turbocharged Engine
- » Fuller RTO-11908LL13 Speed RoadrangerTransmission
- » Operating Weight 46,600 lbs.
- » Max Boom Length 25'
- » Max Digging Depth 22'6"

EQUIPMENT PACKAGES

- ☐ Upperstructure Cab
 - » All weather Cab w/ Heating and Air Conditioning
 - » Skylight
 - » Tinted safety Glass
 - » Four-way adjustable operator's seat
 - » Pilot Controls

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Excavating Bucket
- ☐ Pavement Removal Bucket
- ☐ Ditching Bucket



EXCAVATOR







CHASSIS SPECIFICATIONS

- » 39,200 76,000 lbs. Operating Weight
- » 113 268 HP
- » Automatic Engine Speed Control
- » Two-Gear Power-Shift Transmission
- » Hydrostatic Drive 2 Speed, 4 Wheel Drive
- » Pilot Joystick Controls

- ☐ Heavy Duty Rail Gear
 - » DMF RW1630 Rail Gear
 - » Hydraulic Actuation
 - » Front Brakes and Rail Sweeps
 - » Non-insulated
 - » Holding Valves Rear
 - » Manual Lock Pins

- ☐ Railroad Light Package
- ☐ Shunts
- ☐ Backfill Blade
- ☐ Grapple
- ☐ Hammer
- ☐ Thumb



MINI EXCAVATOR







CHASSIS SPECIFICATIONS

- Weight » 23 - 42 HP
- » 8212 11,012 lbs. Operating » ROPS Cab w/Heating and » 5'7" Wide Blade Air Conditioning
 - » Rubber Tracks

- » Strobe Lights



TRENCHER







- » Weight 9,330-15,270 lbs
- » Diesel Engine 74-120 HP

EQUIPMENT OPTIONS

☐ Backfill Blade [☐ Reel Carrier

☐ Trencher ☐ Backhoe Attachment



PETTIBONE SPEED SWING







- » Cummins 4.5 Tier 4 Diesel » Max Load on Hi-Rail -Engine
- » 163 HP
- » 31,217 lbs. Operating Weight
- » ROPS Cab Fully Heated and Air-Conditioned
- » Dual Joystick, Pilot Operated
- » Max Load on Tires -10,000 lbs Front, 8,000 lbs Side


- 10,000 lbs Front, 5,400 lbs Side
- » 180 Boom Rotation
- » 4 Wheel Drive
- » Heavy Duty Friction Drive Rail Gear

□ Magnet	□ Backhoe Attachment
☐ Grapple	□ Brush Cutter
☐ Forks	□ Extendable Boom
☐ Loader Bucket	

NOTES

FLEXIBILITY TIMELY SERVICE QUALITY EQUIPMENT GENUINE EXPERIENCE











PARENTAL SYSTEMS, INC.

Over four decades of renting quality trucks, construction equipment, and hi-rail units, for reasonable rates.

PHILADELPHIA 800.969.6200 **DENVER** 800.713.2677

WWW.DANELLA.COM/RENTALS